



MEDICAL



RETAIL

PRODUCT INFORMATION


- Elegant and functional Medical Track System.
- Simple and quick installation.
- Bendable, both with an inside and outside bend with a 20 cm radius.
- Dustproof synthetic insert strip available;
- Bending Tool which can curve tracks easily.
- Colour: White.
- Lengths: 5.80 m (19') and 7 m (23')
- Rail quality: aluminium, chromated, powder coated.
- Factory applied patented dry lubricant.

FOR USE IN

Healthcare sector and sanitary rooms, or at any other location where a high quality, elegant and manually operated medical track system is required.



PROFILE

- Shown actual size 1:1
- Aluminum Extrusion
- Weight: 500 grams per meter (5,36 ounce per ft.)




BENDING

The track can be curved and reversed curved in a 20 cm (8'') radius. Continuous curving is also available by special order from factory only.




- ① MTS rail
- ② MTS Wall Bracket
- ③ MTS Carrier with Metal Hook
- ④ MTS Suspension Bracket
- ⑤ MTS Track Bridge Long
- ⑥ MTS Endcap




Mounting


MTS Wall Bracket




MTS Ceiling Bracket (for suspended ceiling)




MTS Suspension Ceiling Bracket




MTS V-Shaped Suspension Bracket



MTS TRACK


Aluminium extrusion, powder coated, lubricated. Available lengths:
5.80 m (19') (5 lengths/bundle) 4501001580
7.00 m (23') (5 lengths/bundle) 4501001700

MTS TRACK CONNECTOR WITH CAP


To join two pieces of MTS Track. Lenght 65 mm (2,56") 4518401000
100/box

MTS CARRIER WITH METAL HOOK

UV-resistant, short. 4510101000
500/box

MTS FLEXIBLE DUST STRIP

To cover the top side of the MTS track. 4518501000
100 mtr/roll

MTS END-STOP


Metal, to secure MTS End-cap. 4516001000
100/box

MTS TRACK BRIDGE

Lenght 28 cm (11") 4518601000
10/box

MTS END-CAP

End-cap for open track ends. 4516101000
20/box

MTS TRACK BRIDGE

Short 4518701000
10/box

MTS END-CAP T-CONNECTOR


Used as End-cap in T-connection. 4516201000
20/box

MTS TIEBACK

To stack back the curtain 4530501000
10/box

MTS CEILING BRACKET

For installation onto a suspended ceiling. 4518001000
100/box

MTS WALL BRACKET

To install the rod inside a frame 4520001000
20/box

MTS SUSPENSION CEILING BRACKET

Length:
10 cm (4") - 1 m (3,3') 4518201000
1 m (3,3') - 1,5 m (4,9') 4518201500
1/each


CONTRACT BENDING TOOL

Contract Bending Tool 2550000000
1/each

MTS Bending Wheel 4560000000
Ø 40 cm (15,7"), incl. strips 1/each

MTS INSERT SCREW

Needed to shorten Suspension Ceiling Bracket 4518301000
100/box


ELECTRIC POWERED BENDER

Electrical Bending Tool 1060500000
1/each

MTS Bending wheel 4560700000
incl. strips 1/each

MTS TOP PIECE SUSPENSION BRACKET

Required when using a shortened suspension bracket 4518101000
10/each

ELECTRIC POWERED RAILCUTTER

Available in 230V or 115V. 1061100000
On-site tool. Clean cut using 1/each
aluminium cutting blade.

Replacement blade 1061200000
For electric powered railcutter. 1/each

V-SHAPED SUSPENSION BRACKET

Lenght available on request 4518801000
1/each

DISTRIBUTOR: